



# DATA SHEET / SPECIFICATION

## FE30 105

### Description:

TCCP free combustion modified ether foam which is suitable for seating and mattress applications. Complies with the requirements of Schedule 1 Part 1 of The Furniture and Furnishing (Fire) (Safety) Amended Regulations 1989. FRee offers reduced odour and scorch free whilst maintaining comfort and durability

FE30 105		
Property	Test Procedure	FE30 105
Density Range	BS EN ISO 845:1995	29-31 kg/m <sup>3</sup>
Hardness (40%) Strength	BS EN ISO 2439	90-120N
Nominal Tensile Strength	BS EN ISO 1798	Min 50kPa
Nominal Elongation at Break	BS EN ISO 1798	Min 90%
Compression Set	BS EN ISO 1856	Max 15%

Standard colour is blue.

The Vita Group reserves the right to update product data information without prior notice.

Issued 05/2020.